

CHAPTER 8

SIGN CONSTRUCTION AND DESIGN: GENERAL STANDARDS

SECTION:

12-8-1 SIGN CONSTRUCTION AND DESIGN: GENERAL STANDARDS

The following standards apply to all signs, unless specifically noted otherwise.

A. Location

1. Only signs placed by federal, state and/or local government may be erected upon public property, including but not limited to rights-of-way.
2. No sign mounted on the exterior of a building shall cover any windows, doors or any architectural building features.
3. All portions of letters/logo shall be a minimum of three (3) feet from the building edge of any face, roof line, ground line or floor/ceiling/roof/wall lines which separate individual tenant spaces.
4. On a corner lot, no freestanding sign over two (2) feet tall may be placed within the visibility triangle. The visibility triangle is an area with one (1) point at the intersection of the intersecting streets' centerlines, and the other two (2) points located on each street's centerline one-hundred (100) feet away from the intersection of said centerlines. The clear sight area is illustrated below.




Illustration of vision triangle for 12-8-1-A-4

B. Sign Structure and Installation

Supports and braces shall be an integral part of the sign design. Angle irons, chains or wires used for supports or braces shall be hidden from public view to the extent technically feasible.

C. Wind Pressure and Direct Load

All signs must be designed and constructed to receive dead loads and withstand a wind speed of no less than ninety (90) miles per hour.

D. Illumination

Any sign illumination, including gooseneck reflectors must be designed, located, shielded and directed to prevent the casting of glare or direct light upon roadways and surrounding properties, or to distract the operators of motor vehicle or pedestrians in the public right-of-way. In the case of internally illuminated signs, the sign face must function as a filter for any illumination.

1. Illuminated signs located within 120 feet of any dwelling and for which the sign face has a direct line of sight toward windows of such dwelling shall be turned off and not operated no later than one o'clock (1:00) A.M. or when the premises is no longer open to the public, whichever is earlier, and may be turned and operated no earlier than when the premises opens to the public or six o'clock (6:00) A.M., whichever is earlier. Notwithstanding anything herein to the contrary, for businesses which are open to the public 24 hours each day, illuminated signs are not required to be turned off any time the business remains open. For the purpose of this section D.1, the measurement shall be from the face of the sign to the nearest façade of the nearest dwelling. Except as provided in this paragraph, all other signs are not required to be turned off.
2. Lighting for signs shall be in harmony with the signs' and the project's design. If outside lighting is used, it should be arranged so the light source is shielded from view.
3. The maximum lighting shall be one-half (½) footcandle, as measured at the property line reflecting from a white background aimed at the face of the sign.
4. All illuminated signs shall be equipped with a safety shut-off switch.

E. Ground Sign Landscaping

All Ground Signs must be landscaped at the base of the sign in accordance with the following:

1. For every one (1) square foot of gross sign area, there shall be provided a minimum of two (2) square feet of landscape area.
2. The sign landscape plan must be drawn to scale, and shall show the dimensions of the proposed landscape area. The sign landscape plan shall provide a species list which includes the common and scientific name, size, quantity, and period of flowering (annuals and perennials), for all proposed plant material.
3. The sign landscape plan will utilize a variety of plant types including, but not limited to; deciduous and evergreen shrubs, annual and perennial plants and grasses, and ground covers, to achieve both height variation and color interest throughout the four seasons.

Ground signs must be landscaped with small shrubs a minimum of eighteen (18) inches in height at planting. The remainder of the landscaped area must be planted with perennials or other groundcover.

4. To provide diversity, at least two (2) different types of plant material must be installed, excluding turf and annual flowers, provided that at least one plant type shall consist of evergreen shrubs or groundcovers. If any portion of the required planting area is located less than fifteen (15) feet from the edge of the street, evergreen shrubs or groundcovers are not required, but at least three (3) different types of plant material must be installed, one of which may be annual flowers.
5. In addition to the plantings described above, the sign landscape plan shall also include soil protection such as, but not limited to, ground cover plants or organic hardwood mulch. However, no more than twenty-five percent (25%) of the total landscape bed may be void of plants at any one time.
6. All landscaping must be maintained in good condition, and free and clear of rubbish and weeds.
7. Sign landscaping must conform to the requirements of this section within one (1) year after the effective date of this Code.

F. Glass

Any glass forming a part of any sign shall be safety glass with a minimum thickness of one-fourth (1/4) inch.

G. Lettering

All letters, figures, characters or representations, in cut-out or irregular form, maintained in conjunction with, attached to, or superimposed upon any sign must be safely and securely built or attached to the sign structure.

H. Items of Information

1. All signs must limit the number of items of information on any single sign face to no more than two (2) items to prevent traffic hazards for passing motorists and to minimize the cluttered appearance of signs.
2. Each descriptive or identifying word, set of words, icon, logo, symbol or image on a sign shall be defined as an "item of information". For example, but not in limitation thereof, each of the following would be one (1) item of information: (a) the name of the business, even if multiple words, or (b) the business logo. The street number address of the business is not counted as an item of information. A company catchphrase or motto may be included on a sign only if it is a part of the legal name of a business. Products, services, telephone number, or a website address shall not be permitted as part of the Copy on a permanent sign unless it is part of the legal name of a business. The prohibition against displaying the names of products or services shall not apply to Awning/Canopy Signs. Temporary signs shall be exempt from any limitations on items of information.



123 Main St. ← Not Included

Illustration of number of items of information for 12-8-1-H-2

3. Changeable message signs where the items of information are changed manually or electronically, only as expressly permitted by other sections of this Title, are counted as one (1) item of information.
4. All signs on a zoning lot must be related to the resident or business located on such zoning lot, with the exception of non-commercial or political signs.
5. Ground signs for commercial developments with multiple tenants that advertise the names of the tenants located within the development are limited to one (1) item of information per tenant. Ground signs for multi-tenant developments shall have a total limit of four (4) items of information. The name of the multi-tenant development shall not be included as an additional item of information.
6. Directory signs are exempt from the items of information limitation.

I. Maintenance

1. All signs shall be kept and maintained in a safe, neat and orderly condition and appearance.
2. The owner and/or lessee of each sign shall maintain such sign to prevent corrosion or deterioration caused by the weather, age or any other condition, and otherwise to keep the same in a safe, neat and orderly condition and appearance.

J. Design Criteria

The purpose of these design criteria is to establish a checklist of those items relative to signs that affect the aesthetics of Lincolnshire's environment. Pertinent to signs is the design of the sign and its relation to buildings, structures, planting, street furniture and the distance to the nearest public street.

The following criteria are not intended to restrict imagination, innovation or variety, but rather to assist in focusing on design principles that can result in creative solutions that will develop a satisfactory visual appearance within the Village, preserve property values and promote the public health, safety and welfare.

1. Every sign shall have good scale and proportion in its design and in its visual relationship to buildings and surroundings.
2. Sign materials, size, color, lettering, location and arrangement shall be an integral part of site and building design.

3. The colors and materials of every sign shall be restrained and harmonious.
4. The number of graphic elements on a sign shall be held to the minimum needed to convey the sign's principle message, and shall be composed in proportion to the area of the sign face. Text should be kept to permitted items of information.
5. Supports and braces shall be an integral part of the sign design. Angle irons, chains or wires used for supports or braces shall be hidden from public view to the extent technically feasible.

K. Sign Face to be Smooth

Any sign, other advertising structure, marquee, canopy or awning, as defined in this Title, which is within ten (10) feet of a street, shall have no nails, tacks, wires or other hazardous projections protruding therefrom.

L. Copy Area Appearance

The Copy on any sign must be legibly and professionally rendered on a suitable contrasting background, which enhances the visibility of the Copy and is consistent with the design criteria described herein.